



PLUMAS COUNTY
ENVIRONMENTAL HEALTH DIVISION
FOOD SAFETY EVALUATION REPORT
270 County Hospital Rd., Ste 127 Quincy, CA 95971
Phone: (530) 283-6355 FAX (530) 283-6241

pg 1 of 1

Date of Inspection: 9/24/24

Facility Name: <u>ONE STOP</u>	Phone Number: _____	PR ID #: <u>218</u>
Facility Site Address: <u>2003 E MAIN ST</u>	City: <u>QUINCY</u>	Zip: <u>95971</u>
Permit #: <u>23-185</u>	Exp Date: <u>7/1/24</u>	Permit Holder: <u>Bhupinder Singh</u>
		Type of Inspection: <u>Routine</u>

See reverse side for the code sections and general requirements that correspond to each violation listed below

In	N/O	N/A	COS	MAJ	OUT
DEMONSTRATION OF KNOWLEDGE					
Food Safety Cert Name: _____ Exp. Date _____					
EMPLOYEE HEALTH & HYGIENIC PRACTICES					
PREVENTING CONTAMINATION BY HANDS					
TIME AND TEMPERATURE RELATIONSHIPS					
PROTECTION FROM CONTAMINATION					

In	N/O	N/A	COS	MAJ	OUT
FOOD FROM APPROVED SOURCES					
CONFORMANCE WITH APPROVED PROCEDURES					
CONSUMER ADVISORY					
Highly Susceptible Populations					
WATER/HOT WATER					
LIQUID WASTE DISPOSAL					
VERMIN					

In	N/O	N/A	COS	MAJ	OUT
SUPERVISION					
PERSONAL CLEANLINESS					
GENERAL FOOD SAFETY REQUIREMENTS					
FOOD STORAGE/ DISPLAY/ SERVICE					
EQUIPMENT/ UTENSILS/ LINENS					

In	N/O	N/A	COS	MAJ	OUT
PHYSICAL FACILITIES					
PERMANENT FOOD FACILITIES					
SIGNS/ REQUIREMENTS					
COMPLIANCE & ENFORCEMENT					

Received by (Print) <u>Ashley Moulton</u>	Title _____
Received by (Signature) <u>[Signature]</u>	
Specialist (Print) <u>Dennis Eck</u>	Re-inspection Date: <u>Next Routine</u>
Specialist (Signature) <u>[Signature]</u>	

45) Repair seal around back entrance to walk-in fridge to prevent animal/insects from entering.

-Please send copy of Jessie's manager cert to our office for our records.